

2/2018

Print



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Pct D
PO038792	TWM001-VU	1	1	Net 30	M304TR0.500W.049	304 Round Tube .500 X .049W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft				120	1/22/2018	120		S034342	Stock	1/22/2018	\$ 2.80 / pcs	0	
		2			M304TR0.500W.035	304 Round Tube .500 X .035W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft				220		220		S034343	Stock	1/22/2018	\$ 1.50 / pcs	0	
		3			M304TR0.750W.049	304 Round Tube .750 X .049W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft				100		100		S034344	Stock	1/22/2018	\$ 2.10 / pcs	0	
		4			M6061T6T0.500W.035	6061-T6 Round Tube .500 X .035W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft				36		36		S034345	Stock	1/22/2018	\$ 1.75 / ft	0	
		5			M6061T6T0.500W.058	6061-T6 Round Tube .500 X .058W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft				100		100		S034346	Stock	1/22/2018	\$ 1.75 / pcs	0	
		6			M6061T6T0.625W.125	6061-T6 Round Tube 0.625 X .125W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft				60		60		S034347	Stock	1/22/2018	\$ 5.15 / pcs	0	
Total:										636		636							

Plex 1/22/2018 3:51 PM Dart Dubois Pascal



O'Neal High-Performance Metals Group



Packing Slip

ORDER NO.: 60647763

FROM: CRAN

PAGE 1

CUST NUMBER: 1203820 NET WGT: 129.447 REQ.DATE: 01/22/18 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 01/17/18
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO038792 RELEASE NO.:
RECEIVING PHONE:

LINE ITEM DESCRIPTION WIDTH LENGTH
0001 36506 SMLS CD 304/L A269 1/2 OD X .049 WA 20' ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	120.000 FT	120.000 FT	120.000 FT	28.310	

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: 2B999.g Export License: NLR Expiration Date: 0/00/00
PO:49366890 HT:YX1108593 PC: 6 CUSTOMER QTY: UOM
MLT:CHINA MFG:CHINA SLB/CL:7-44

0002 36449 SMLS CD 304/L A269 1/2 OD X .035 WA 20' ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	220.000 FT	220.000 FT	220.000 FT	38.227	

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: 2B999.g Export License: NLR Expiration Date: 0/00/00
PO:49366890 HT:YX1608590 PC: 11 CUSTOMER QTY: UOM
MLT:CHINA MFG:CHINA SLB/CL:7-45

0003 36860 SMLS CD 304/L A269 3/4 OD X .049 WA 20' CL

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	100.000 FT	100.000 FT	100.000 FT	36.672	

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: 2B999.g Export License: NLR Expiration Date: 0/00/00
PO:4939141 HT:YX1508708 PC: 5 CUSTOMER QTY: UOM
MLT:CHINA MFG:CHINA SLB/CL:2-115

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE
PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL
REVIEW.
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



**Packing
Slip**

ORDER NO.: 60647763

FROM: CRAN

PAGE 2

CUST NUMBER: 1203820 NET WGT: 129.447 REQ.DATE: 01/22/18 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 01/17/18
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO038792 RELEASE NO.:
RECEIVING PHONE:

LINE	ITEM	DESCRIPTION	WIDTH	LENGTH
0004	42196	D6061-T6 1/2 OD X .035 WA		12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	36.000 FT	36.000 FT	36.000 FT	2.160	

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49378229 HT:F002542370001 PC: 3 CUSTOMER QTY: UOM
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:224461

LINE	ITEM	DESCRIPTION	WIDTH	LENGTH
0005	42276	D6061-T6 1/2 OD X .058 WA		12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	100.000 FT	108.000 FT	108.000 FT	10.225	

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49378297 HT:F002542390002 PC: 9 CUSTOMER QTY: UOM
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:224471

LINE	ITEM	DESCRIPTION	WIDTH	LENGTH
0006	42588	D6061-T6 5/8 OD X .125 WA		12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	60.000 FT	60.000 FT	60.000 FT	13.853	

** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49375542 HT:F002495120001 PC: 5 CUSTOMER QTY: UOM
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:224098

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE
PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL
REVIEW.
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



Packing Slip

ORDER NO.: 60647763

FROM: CRAN

PAGE 3

CUST NUMBER: 1203820 NET WGT: 129.447 REQ.DATE: 01/22/18 CONFIRMED
 SOLD TO: SHIP TO:
 DART AEROSPACE LTD DART AEROSPACE LTD
 1270 ABERDEEN ST 1270 ABERDEEN ST
 HAWKESBURY ON HAWKESBURY ON
 CANADA ONTARIO CANADA

CN K6A 1K7

CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 01/17/18
 TERMS: NET 30 DAYS VIA: COMMON CARRIER
 F.O.B.: SHIPPING POINT FREIGHT: PREPAID
 CUST ORD NO.: PO038792 RELEASE NO.:
 RECEIVING PHONE:

LINE ITEM DESCRIPTION WIDTH LENGTH
 BROKERS KUEHNE AND NAGEL LTD

AREA TYPE OF PKG		PACK INFO				
		PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
NEW PEN REDDICRATE		1.000	189.447	4.0000	246.0000	4
Orders In Package - 1		Box No - TWPk18000191				
		1.000	189.447			

BY: Tom Weaver
 RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED _____

DATE FILLED _____

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE
 PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL
 REVIEW.
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



**Packing
Slip**

ORDER NO.: 60647763

FROM: CRAN

PAGE 4

CUST NUMBER: 1203820	NET WGT: 129.447	REQ.DATE: 01/22/18	CONFIRMED
SOLD TO:	SHIP TO:		
DART AEROSPACE LTD	DART AEROSPACE LTD		
1270 ABERDEEN ST	1270 ABERDEEN ST		
HAWKESBURY ON	HAWKESBURY ON		
CANADA	CN K6A 1K7	ONTARIO CANADA	CN K6A 1K7

SALESPERSON: DONNA SMALLEY	SHIP BY: 01/17/18
TERMS: NET 30 DAYS	27 ENGLEHARD DRIVE
F.O.B.: SHIPPING POINT	MONROE TWP NJ 08831
CUST ORD NO.: PO038792	
VIA: COMMON CARRIER	
FREIGHT: PREPAID	
RELEASE NO.:	
RECEIVING PHONE:	

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Electronically Generated Certificate-Valid without signature Date: 1/16/18

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL REVIEW.
<http://www.twmetals.com/invoice-terms.html>



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO038792**

Supplier: TWM001-VU
TW Metals
PO Box 933014
Atlanta, GA 31193-3014 USA
Phone: 585 768 5600
Fax: 585 768 5601

PO No: PO038792

PO Date: 1/16/18

Due Date: 1/22/18

**Purchase Order
Revision:**

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

E-MAILED

JAN 16 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

JAN 16 2018

Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	M304TR0.500W.049		304 Round Tube .500 X .049W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft	Firmed	1/22/18	120 pcs	0 pcs	120 pcs	\$2.80/pcs	\$336.00
						120	DAS 11 9-89	JAN 22 2018		
2	M304TR0.500W.035		304 Round Tube .500 X .035W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft	Firmed	1/22/18	220 pcs	0 pcs	220 pcs	\$1.50/pcs	\$330.00
						220	DAS 11 9-89	JAN 22 2018		
3	M304TR0.750W.049		304 Round Tube .750 X .049W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft	Firmed	1/22/18	100 pcs	0 pcs	100 pcs	\$2.10/pcs	\$210.00
						100"	DAS 11 9-89	JAN 22 2018		
4	M6061T6T0.500W.035		6061-T6 Round Tube .500 X.035W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft	Firmed	1/22/18	36 ft	0 ft	36 ft	\$1.75/ft	\$63.00
						36	DAS 11 9-89	JAN 22 2018		

PURCHASE ORDER

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
5	M6061T6T0.500W.058		6061-T6 Round Tube .500 X.058W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft	Firmed	1/22/18	100 pcs	0 pcs 108	100 pcs DAS 11 9-89 JAN 22 2018	\$1.75/pcs	\$175.00
6	M6061T6T0.625W.125		6061-T6 Round Tube 0.625 X.125W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft	Firmed	1/22/18	60 pcs	0 pcs 60	60 pcs DAS 11 9-89 JAN 22 2018	\$5.15/pcs	\$309.00
Grand Total:									\$1,423.00	
Order Notes										
Procurement Quality Clauses A005 right of entry A012 chemical and physical test report A016 personnel qualification A017 raw material identification (as applicable) A026 certification of material conformance A041 quality management system A042 dart notification by supplier A043 retention of quality documents A048 counterfeit parts avoidance, detection, mitigation and disposition program A049 supplier awareness										
Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.										

Plex 1/16/18 7:48 AM dart.lavoie.chantal



27 ENGLEHARD DRIVE
 MONROE TWP NJ 08831
 Tel: 609-655-4120
 FAX: 6096552603

Invoice#: 60647763
 Cust. PO#: PO038792
 Incoterms: SHIPPING POINT
 Frt. Terms: PREPAID
 Ship Via: COMMON CARRIER

COMMERCIAL INVOICE

Sold To: DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON CANADA CN K6A 1K7 C Contact: CHANTAL 16136321053	Invoice Date: 1/17/18
	Ship Date: 1/16/18
	Payment Terms: NET 30 DAYS
	Ship To/Final Destination: DART AEROSPACE LTD 1270 ABERDEEN ST HAWKSBURY ON ONTARIO CANADA CN K6A 1K7
Freight Forwarder/Intermediate Ship To:	

ITEM#/LINE#	DESCRIPTION	QUANTITY	UNIT	VALUE	SUBTOTAL
36506	SMLS CD 304/L A269 1/2 OD X .049 WA	120.000 FT	\$	2.8000 FT	\$ 336.00
1	STAINLESS STEEL TUBE ROUND	0 IN			
	6.000 PC				
	PART NUMBER:				
	ECCN: 2B999.g				
	SCHEDULE B:7304.41.0000				
	S/S PIPE/TUBE ROUND SMLS W/OD </=3"				
	NET WGT: 28.310 LBS				
	COUNTRY OF MFG: CHINA				
36449	SMLS CD 304/L A269 1/2 OD X .035 WA	220.000 FT	\$	1.5000 FT	\$ 330.00
2	STAINLESS STEEL TUBE ROUND	0 IN			
	11.000 PC				
	PART NUMBER:				
	ECCN: 2B999.g				
	SCHEDULE B:7304.41.0000				
EXPORT LICENSE NUMBER: NLR EXPIRATION DATE: 00/00/00					
TW METALS, INC CERTIFIES THAT THE COUNTRY OR COUNTRIES OF MANUFACTURE INDICATED ABOVE IS TRUE AND CORRECT AS CONTAINED IN THE RECORDS OF TW METALS, INC. THESE ITEMS ARE CONTROLLED BY THE U.S. GOVERNMENT AND AUTHORIZED FOR EXPORT ONLY TO THE COUNTRY OF ULTIMATE DESTINATION FOR USE BY THE ULTIMATE CONSIGNEE OR END-USER(S) HEREIN IDENTIFIED. THEY MAY NOT BE RESOLD, TRANSFERRED, OR OTHERWISE DISPOSED OF, TO ANY OTHER COUNTRY OR TO ANY PERSON OTHER THAN THE AUTHORIZED ULTIMATE CONSIGNEE OR END-USER(S), EITHER IN THEIR ORIGINAL FORM OR AFTER BEING INCORPORATED INTO OTHER ITEMS, WITHOUT FIRST OBTAINING APPROVAL FROM THE U.S. GOVERNMENT OR AS OTHERWISE AUTHORIZED BY U.S. LAW AND REGULATIONS.					
Page 1					CONTINUE



27 ENGLEHARD DRIVE
 MONROE TWP NJ 08831
 Tel: 609-655-4120
 FAX: 6096552603

Invoice#: 60647763
 Cust. PO#: P0038792
 Incoterms: SHIPPING POINT
 Frt. Terms: PREPAID
 Ship Via: COMMON CARRIER

COMMERCIAL INVOICE

Sold To: DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON CANADA CN K6A 1K7 C Contact: CHANTAL 16136321053	Invoice Date: 1/17/18
	Ship Date: 1/16/18
	Payment Terms: NET 30 DAYS
	Ship To/Final Destination: DART AEROSPACE LTD 1270 ABERDEEN ST HAWKSBURY ON ONTARIO CANADA CN K6A 1K7
Freight Forwarder/Intermediate Ship To:	

ITEM#/LINE#	DESCRIPTION	QUANTITY	UNIT VALUE	SUBTOTAL
	S/S PIPE/TUBE ROUND SMLS W/OD </=3"			
	NET WGT: 38.227 LBS			
	COUNTRY OF MFG: CHINA			
36860	SMLS CD 304/L A269 3/4 OD X .049 WA	100.000 FT	\$ 2.1000 FT	\$ 210.00
3	STAINLESS STEEL TUBE ROUND	0 IN		
	PART NUMBER:	5.000 PC		
	ECCN: 2B999.g			
	SCHEDULE B:7304.11.0000			
	NET WGT: 36.672 LBS			
	COUNTRY OF MFG: CHINA			
42196	D6061-T6 1/2 OD X .035 WA	36.000 FT	\$ 1.7500 FT	\$ 63.00
4	ALUMINUM TUBE ROUND	0 IN		
	PART NUMBER:	3.000 PC		
EXPORT LICENSE NUMBER: NLR EXPIRATION DATE: 00/00/00				
TW METALS, INC CERTIFIES THAT THE COUNTRY OR COUNTRIES OF MANUFACTURE INDICATED ABOVE IS TRUE AND CORRECT AS CONTAINED IN THE RECORDS OF TW METALS, INC. THESE ITEMS ARE CONTROLLED BY THE U.S. GOVERNMENT AND AUTHORIZED FOR EXPORT ONLY TO THE COUNTRY OF ULTIMATE DESTINATION FOR USE BY THE ULTIMATE CONSIGNEE OR END-USER(S) HEREIN IDENTIFIED. THEY MAY NOT BE RESOLD, TRANSFERRED, OR OTHERWISE DISPOSED OF, TO ANY OTHER COUNTRY OR TO ANY PERSON OTHER THAN THE AUTHORIZED ULTIMATE CONSIGNEE OR END-USER(S), EITHER IN THEIR ORIGINAL FORM OR AFTER BEING INCORPORATED INTO OTHER ITEMS, WITHOUT FIRST OBTAINING APPROVAL FROM THE U.S. GOVERNMENT OR AS OTHERWISE AUTHORIZED BY U.S. LAW AND REGULATIONS.				CONTINUE
Page				2



27 ENGLEHARD DRIVE
 MONROE TWP NJ 08831
 Tel: 609-655-4120
 FAX: 6096552603

Invoice#: 60647763
 Cust. PO#: P0038792
 Incoterms: SHIPPING POINT
 Frt. Terms: PREPAID
 Ship Via: COMMON CARRIER

COMMERCIAL INVOICE

Sold To: DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON CANADA CN K6A 1K7 C Contact: CHANTAL 16136321053	Invoice Date: 1/17/18
	Ship Date: 1/16/18
	Payment Terms: NET 30 DAYS
Freight Forwarder/Intermediate Ship To:	Ship To/Final Destination: DART AEROSPACE LTD 1270 ABERDEEN ST HAWKSBURY ON ONTARIO CANADA CN K6A 1K7

ITEM# / LINE#	DESCRIPTION	QUANTITY	UNIT VALUE	SUBTOTAL
	ECCN: EAR99 SCHEDULE B:7608.20.0030 ALUM PIPE/TUBE - SEAMLESS NET WGT: 2.160 LBS COUNTRY OF MFG: UNITED STATES			
42276	D6061-T6 1/2 OD X .058 WA	108.000 FT	\$ 1.7500 FT	\$ 189.00
		0 IN		
5	ALUMINUM TUBE ROUND	9.000 PC		
	PART NUMBER:			
	ECCN: EAR99 SCHEDULE B:7608.20.0030 ALUM PIPE/TUBE - SEAMLESS NET WGT: 10.225 LBS COUNTRY OF MFG: UNITED STATES			
42588	D6061-T6 5/8 OD X .125 WA	60.000 FT	\$ 5.1500 FT	\$ 309.00
EXPORT LICENSE NUMBER: NLR EXPIRATION DATE: 00/00/00				
TW METALS, INC CERTIFIES THAT THE COUNTRY OR COUNTRIES OF MANUFACTURE INDICATED ABOVE IS TRUE AND CORRECT AS CONTAINED IN THE RECORDS OF TW METALS, INC. THESE ITEMS ARE CONTROLLED BY THE U.S. GOVERNMENT AND AUTHORIZED FOR EXPORT ONLY TO THE COUNTRY OF ULTIMATE DESTINATION FOR USE BY THE ULTIMATE CONSIGNEE OR END-USER(S) HEREIN IDENTIFIED. THEY MAY NOT BE RESOLD, TRANSFERRED, OR OTHERWISE DISPOSED OF, TO ANY OTHER COUNTRY OR TO ANY PERSON OTHER THAN THE AUTHORIZED ULTIMATE CONSIGNEE OR END-USER(S), EITHER IN THEIR ORIGINAL FORM OR AFTER BEING INCORPORATED INTO OTHER ITEMS, WITHOUT FIRST OBTAINING APPROVAL FROM THE U.S. GOVERNMENT OR AS OTHERWISE AUTHORIZED BY U.S. LAW AND REGULATIONS.				CONTINUE
Page				3



27 ENGLEHARD DRIVE

MONROE TWP

Tel: 609-655-4120

FAX: 6096552603

NJ 08831

Invoice#: 60647763

Cust. PO#: P0038792

Incoterms: SHIPPING POINT

Fr. Terms: PREPAID

Ship Via: COMMON CARRIER

COMMERCIAL INVOICE

Sold To: DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON CANADA CN K6A 1K7 C Contact: CHANTAL 16136321053	Invoice Date: 1/17/18
	Ship Date: 1/16/18
	Payment Terms: NET 30 DAYS
	Ship To/Final Destination: DART AEROSPACE LTD 1270 ABERDEEN ST HAWKSBURY ON ONTARIO CANADA CN K6A 1K7
Freight Forwarder/Intermediate Ship To:	

ITEM#/LINE#	DESCRIPTION	QUANTITY	UNIT VALUE	SUBTOTAL
6	ALUMINUM TUBE ROUND	5.000	PC	
	PART NUMBER:			
	ECCN: EAR99			
	SCHEDULE B: 7608.20.0030			
	ALUM PIPE/TUBE - SEAMLESS			
	NET WGT: 13.853 LBS			
	COUNTRY OF MFG: UNITED STATES			
	QUANTITY AND TYPE OF BOXES:			
	1 REDDICRATE			
	246.0000 X 4.0000 X 4.0000			
	TOTAL WGT: 189.447 LBS			
	GROSS WGT: 189.447 LBS			
EXPORT LICENSE NUMBER: NLR EXPIRATION DATE: 00/00/00				
TW METALS, INC CERTIFIES THAT THE COUNTRY OR COUNTRIES OF MANUFACTURE INDICATED ABOVE IS TRUE AND CORRECT AS CONTAINED IN THE RECORDS OF TW METALS, INC THESE ITEMS ARE CONTROLLED BY THE U.S. GOVERNMENT AND AUTHORIZED FOR EXPORT ONLY TO THE COUNTRY OF ULTIMATE DESTINATION FOR USE BY THE ULTIMATE CONSIGNEE OR END-USER(S) HEREIN IDENTIFIED. THEY MAY NOT BE RESOLD, TRANSFERRED, OR OTHERWISE DISPOSED OF, TO ANY OTHER COUNTRY OR TO ANY PERSON OTHER THAN THE AUTHORIZED ULTIMATE CONSIGNEE OR END-USER(S), EITHER IN THEIR ORIGINAL FORM OR AFTER BEING INCORPORATED INTO OTHER ITEMS, WITHOUT FIRST OBTAINING APPROVAL FROM THE U.S. GOVERNMENT OR AS OTHERWISE AUTHORIZED BY U.S. LAW AND REGULATIONS.				
			Sales Tax	.00
			Payable in US Dollars	1437.00
		Page 4		

MILL TEST REPORT

Purchaser.: TW METALS-Cranbury				Certificate No.: 2017-8-82					
Contract No.: TWMP.O.No.: M49366890				Date of Issue.: 2017.8.26					
Commodity: Stainless Steel Seamless Tubes				Specifications: ASTM A213-17/ASME SA213-15/ASTM A269-15a EAW					
Process: Cold Drawn				Delivery Condition: OD Polished to 240 Grit					
Steel Grade	Heat Number	Lot Number	Dimensions				Quantity		
TP304/TP304L	YX1108-593	7-44	1/2"x0.049"x20'				Pieces	Feet	
							500	10,000	
Chemical Composition by Weight (%)									
Element	C	Mn	P	S	Si	Cr	Ni	Mo	Co
Requirements	≤0.035	≤2.00	≤0.045	≤0.030	≤1.00	18.00-20.00	8.00-12.00	-	-
Ladle Analysis	0.023	0.70	0.032	0.001	0.36	18.50	8.05	-	-
Product Analysis	0.020	0.67	0.034	0.002	0.34	18.67	8.13	-	-
Mechanical Properties									
Test Item	Elongation (% in 2")		Tensile Strength (PSI) Rm			Yield Strength (PSI) Rp / 0.2%			
Requirements	≥35		≥75,000			≥30,000			
Test Results	61/62		98,000/99,000			41,000/42,000			
Test Item	Reduction of Area Z (%)	Hardness	Cold Bend Test	Flaring Test	Flattening Test	Flange Test	P.M.I. Test		
Requirements	-	HRB≤80	-	22%	e=0.09	-	-		
Test Results	-	77/79	-	Passed	Passed	-	OK		
Test Item	Eddy Current Test	Air Underwater Pressure Test	Ultrasonic Test	Intergranular Corrosion Test	Macroscopic Inspection				
Requirements	ASTM E 426	-	-	ASTM A262 E	End Cut	Appearance			
Test Results	Passed	-	-	OK	OK	OK			

ISO 9001:2008 Certified by CAS 117 16 QU 0053-06 ROS

PED Certified by SZUTEST 2195-PED-1526002

Additional Remarks:

- (1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes
- (2) All tubes tested per ASTM A1016-17
- (3) Materials is NACE MR0103-2007 compliant (per Section 2.5)
- (4) Materials is NACE MR0175/ISO 15156-2003 compliant (per Section 4.2.1)
- (5) In Compliance with EN 10204-3.1
- (6) In Compliance with RoHS Stipulation
- (7) No weld repair performed
- (8) Free from mercury contamination
- (9) Free from radioactive contamination
- (10) Billets melt and pipes/tubes manufactured in China
- (11) All tubes 100% PMI tested
- (12) All tubes 100% Eddy Current tested

**CANNOT CERTIFY COMPLIANCE
FAR BAA / DFARS BAA / FAR TAA**




By:

James Shi

James Shi / Manager

Quality Control Department



We hereby certify that this report is true and correct.

Jiangsu Pufa Stainless Steel Tube Co., Ltd.

No. 99, Xuean Middle Road, Dongchen Town, Rugao City, Jiangsu Province, P.R.China

MILL TEST REPORT

Purchaser.: TW METALS-Cranbury				Certificate No.: 2017-8-81					
Contract No.: TWM P.O.No.: M49366890				Date of Issue.: 2017.8.26					
Commodity: Stainless Steel Seamless Tubes				Specifications: ASTM A213-17/ASME SA213-15/ASTM A269-15a EAW					
Process: Cold Drawn				Delivery Condition: OD Polished to 240 Grit					
Steel Grade	Heat Number	Lot Number	Dimensions				Quantity		
TP304/TP304L	YX1608-590	7-45	1/2"x0.035"x20'				Pieces	Feet	
							2500	50,000	
Chemical Composition by Weight (%)									
Element	C	Mn	P	S	Si	Cr	Ni	Mo	Co
Requirements	≤0.035	≤2.00	≤0.045	≤0.030	≤1.00	18.00-20.00	8.00-12.00	-	-
Ladle Analysis	0.017	1.28	0.033	0.002	0.35	18.22	8.06	-	-
Product Analysis	0.022	1.27	0.035	0.004	0.38	18.36	8.09	-	-
Mechanical Properties									
Test Item	Elongation (% in 2")		Tensile Strength (PSI) Rm			Yield Strength (PSI) Rp / 0.2%			
Requirements	≥35		≥75,000			≥30,000			
Test Results	61/62		99,000/100,000			44,000/45,000			
Test Item	Reduction of Area Z (%)	Hardness	Cold Bend Test	Flaring Test	Flattening Test	Flange Test	P.M.I. Test		
Requirements	-	HRB≤80	-	22%	e=0.09	-	-		
Test Results	-	77/79	-	Passed	Passed	-	OK		
Test Item	Eddy Current Test	Air Underwater Pressure Test	Ultrasonic Test	Intergranular Corrosion Test	Macroscopic Inspection				
Requirements	ASTM E 426	-	-	ASTM A262 E	End Cut	Appearance			
Test Results	Passed	-	-	OK	OK	OK			

ISO 9001:2008 Certified by CAS 117 16 QU 0053-06 ROS

PED Certified by SZUTEST 2195-PED-1526002

Additional Remarks:

- (1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes
- (2) All tubes tested per ASTM A1016-17
- (3) Materials is NACE MR0103-2007 compliant (per Section 2.5)
- (4) Materials is NACE MR0175/ISO 15156-2003 compliant (per Section 4.2.1)
- (5) In Compliance with EN 10204-3.1
- (6) In Compliance with RoHS Stipulation
- (7) No weld repair performed
- (8) Free from mercury contamination
- (9) Free from radioactive contamination
- (10) Billets melt and pipes/tubes manufactured in China
- (11) All tubes 100% PMI tested
- (12) All tubes 100% Eddy Current tested

**CANNOT CERTIFY COMPLIANCE
FAR BAA / DFARS BAA / FAR TAA**



By:

James Shi

James Shi / Manager

Quality Control Department

TW METALS

SEP 13 2017

T E S T

ACCEPTED

We hereby certify that this report is true and correct.

Jiangsu Pufa Stainless Steel Tube Co., Ltd.

No. 99, Xuean Middle Road, Dongchen Town, Rugao City, Jiangsu Province, P.R.China

MILL TEST REPORT

Purchaser.: TW METALS-Cranbury				Certificate No.: 16-3-175					
Contract No.: TWM P.O.No.: M49339141				Date of Issue.: 2016.3.31					
Commodity: Stainless Steel Seamless Tubes				Specifications: ASTM A213-15c/ASME SA213-15/ASTM A269-15a EAW					
Process: Cold Drawn				Delivery Condition: OD Polished to 240 Grit					
Steel Grade	Heat Number	Lot Number	Dimensions			Quantity			
						Pieces	Feet		
TP304/TP304L	YX1508-708	2-115	3/4" x 0.049" x 20'			250	5,000		
Chemical Composition by Weight (%)									
Element	C	Mn	P	S	Si	Cr	Ni	Mo	Co
Requirements	≤0.035	≤2.00	≤0.045	≤0.030	≤1.00	18.00-20.00	8.00-12.00	-	-
Ladle Analysis	0.021	0.68	0.033	0.002	0.26	18.35	8.05	-	-
Product Analysis	0.019	0.76	0.032	0.006	0.27	18.59	8.28	-	-
Mechanical Properties									
Test Item	Elongation (% in 2")		Tensile Strength (PSI) Rm			Yield Strength (PSI) Rp / 0.2%			
Requirements	≥35		≥75,000			≥30,000			
Test Results	61/62		93,000/94,000			40,000/41,000			
Test Item	Reduction of Area Z (%)		Hardness	Cold Bend Test	Flaring Test	Flattening Test	Flange Test	P.M.I. Test	
Requirements	-		HRB≤80	-	22%	ε=0.09	-	-	
Test Results	-		76/78	-	Passed	Passed	-	OK	
Test Item	Eddy Current Test		Air Underwater Pressure Test	Ultrasonic Test	Intergranular Corrosion Test	Macroscopic Inspection			
Requirements	ASTM E 426		-	-	ASTM A262 E	End Cut	Appearance		
Test Results	Passed		-	-	OK	OK	OK		

ISO 9001:2008 Certified by Intertek 110703068

PED Certified by SZUTEST 2195-PED-1526002

Additional Remarks:

- (1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes
- (2) All tubes tested per ASTM A1016-15
- (3) Materials is NACE MR0103-2007 compliant (per Section 2.5)
- (4) Materials is NACE MR0175/ISO 15156-2003 compliant (per Section 4.2.1)
- (5) In Compliance with EN 10204-3.1
- (6) In Compliance with RoHS Stipulation
- (7) No weld repair performed
- (8) Free from mercury contamination
- (9) Free from radioactive contamination
- (10) Billets melt and pipes/tubes manufactured in China
- (11) All tubes 100% PMI tested
- (12) All tubes 100% Eddy Current tested

CANNOT CERTIFY COMPLIANCE
FAR BAA / DFARS BAA / FAR TAA



By:

James Shi


James Shi / Manager

Quality Control Department

We hereby certify that this report is true and correct.

Shanghai Pufa Stainless Steel Pipe Factory

No. 59, Shuangye Road, Wanggang, New Pudong District, Shanghai, China



Kaiser

ALUMINUM

FABRICATED PRODUCTS

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49378229-1		CUSTOMER PART NUMBER: 42196		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 224461	LINE ITEM: 001	SHIP DATE: 11/07/2017	KAISER LOT NUMBER: F00254237	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 341.000 LB	QUANTITY: 476.000 PCS	B/L NUMBER: 227427	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00254237	0001	1	46.9	39.6	17.0	N/A	N/A	N/A
F00254237	0002	1	47.1	40.6	17.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D0674A	.60	.26	.21	.05	.97	.09	.04	.03	.00	.00	.00	.01	.02

Applicable Requirements:

Description: OD: 0.5000"; Wall: 0.0350"; Round @
AMS4082P, AMS-WW-T-700/6C, ASTM B210-12, WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS4082P, WAS NOT OILED.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.



Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).

Plant Serial: 00026630
Kaiser Order Number: 224461
Line Item: 001

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager



KAISER ALUMINUM FABRICATED PRODUCTS

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49378297-1		CUSTOMER PART NUMBER: 42276		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 224471	LINE ITEM: 001	SHIP DATE: 11/07/2017	KAISER LOT NUMBER: F00254239	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 463.000 LB	QUANTITY: 406.000 PCS	B/L NUMBER: 227417	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 235 WEST TUBEWAY DRIVE CAROL STREAM, IL 60188 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON% IACS	BEND
F00254239	0001	1	46.6	40.1	18.0	N/A	N/A	N/A
F00254239	0002	1	44.8	38.8	17.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D0674A	.60	.26	.21	.05	.97	.09	.04	.03	.00	.00	.00	.01	.02

Applicable Requirements:

Description: OD: 0.5000"; Wall: 0.0580"; Round 8
AMS4082P, AMS-WW-T-700/6C, ASTM B210-12, WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS4082P, WAS NOT OILED.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.



Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).

Plant Serial: 00026618
Kaiser Order Number: 224471
Line Item: 001

NC

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFIED TEST REPORT


<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager





KAISER ALUMINUM FABRICATED PRODUCTS

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49375542-1		CUSTOMER PART NUMBER: 42588		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 224098	LINE ITEM: 001	SHIP DATE: 09/11/2017	KAISER LOT NUMBER: F00249512	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 241.000 LB	QUANTITY: 87.000 PCS	B/L NUMBER: 226742	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00249512	0001	1	47.7	41.2	19.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D30480	.58	.31	.23	.04	.94	.09	.05	.02	.00	.00	.00	.02	.03

Applicable Requirements:

Description: OD: 0.6250"; Wall: 0.1250"; Round @
AMS4082P, AMS-WW-T-700/6C, ASTM B210-12, WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS4082P, WAS NOT OILED.
This Product Complies to FAR BAA, DFARS BAA, FAR TAA
COMPLIES TO DIN EN 10204 JAN 2005
No Weld Repair. Mercury Free.



Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).

Plant Serial: 00026072
Kaiser Order Number: 224098
Line Item: 001

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager

[Signature]

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M60614610-625W.125
 DATE: JAN 22 2018

PO / BATCH NO. 038792/8034347

MATERIAL CERT REC'D: YES
 QUANTITY RECEIVED: 60"
 QUANTITY INSPECTED: 60"
 QUANTITY REJECTED: 0

THICKNESS ORDERED: W.125
 THICKNESS RECEIVED: W.125
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	AMS-WW-T-700/6c
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	Heat# P00289512 0001
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 JAN 22 2018</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

PURCHASE MATERIAL: 6061-T6/62/70510/70511 SEAMLESS TUBING

SPECIFICATION:

WV-1-7006

OR 904-2700/6 OR QQ-A-225/8
OR AMS 4080 OR AMS 4082 OR AMS 4083
OR ASTM B210 OR ASTM B241

PART NUMBER:

M6061T6TDPDDWTTT


WHERE "D.DDD" - OD IN INCHES

"T.TTT" = WALL THICKNESS

EG. 3/6" OD X 0.058 WALL = M6061T6T0.375W0.058

MATERIAL TOLERANCE:

PER ANSI H35.2



C	COMPLETE REFORMAT, ADDED T6510 & T6511, ADDED AMS 4083, ASTM B210 & ASTM B241	AMS	13.06.12
B	ADDED MATERIAL TOLERANCE	CP	04.01.23
A	NEW ISSUE	DS	01.08.21
REV.	DESCRIPTION	BY	DATE
DRAWN	AMS		
CHECKED	AMS		
MFG. APPR.	M6061T6T		
APPROVED	TITLE		
DE APPR.	6061-T6 TUBING		
DATE	13.06.12		

COPYRIGHT © 2001 BY DART AEROSPACE LTD.
ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.

RELEASED
2013-07-02
JMP

DART AEROSPACE LTD
HAMPSHIRE, ONTARIO, CANADA

REV. C
SHEET 1 OF 1
SCALE
NTS

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M6061H6 to 500 W.058
 DATE JAN 22 2018

PO / BATCH NO. 038792/5034346

MATERIAL CERT REC'D YES
 QUANTITY RECEIVED 100"
 QUANTITY INSPECTED: 100"
 QUANTITY REJECTED: 0

THICKNESS ORDERED W.058
 THICKNESS RECEIVED: W.058
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	AMS-WW-T700/6C
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	(Y) (N)	
CORRECT REF # TO LINK CERT	(Y) N	Heat # P002542390002
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 JAN 22 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

PURCHASE MATERIAL: 6061-T6/62/6510/6511 SEAMLESS TUBING

SPECIFICATION:

WY-1700/8
OR QQ-A-200/8 OR QQ-A-225/8
OR AMS 4080 OR AMS 4082 OR AMS 4083
OR ASTM B210 OR ASTM B241

PART NUMBER:


M6061T6TD.DDDWTT.TTT
OD WALL

WHERE "D.DDD" = OD IN INCHES
"T.TTT" = WALL THICKNESS

EG. 3/8" OD X 0.058 WALL = M6061T6T0.375W0.058

MATERIAL TOLERANCE:

PER ANSI H35.2



C	COMPLETE REFORMAT ADDED T6510 & T6511.	AJS	13.06.12
B	ADDED AMS 4083, ASTM B210 & ASTM B241		
A	ADDED MATERIAL TOLERANCE		
REV.	NEW ISSUE	OP	04.01.23
DESIGN		DS	01.08.21
DRAWN	AJS	BY	DATE
CHECKED			
WFG. APPR.			
APPROVED			
DE APPR			
DATE	13.06.12		

DESIGN	AJS	DESCRIPTION	DART AEROSPACE LTD	REV. C
DRAWN	AJS	DRAWING NO.	HAWKESBURY, ONTARIO, CANADA	SHEET 1 OF 1
WFG. APPR.		TITLE		SCALE
APPROVED				NTS
DE APPR				
DATE	13.06.12			

THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR THE PROJECT AND NOT TO BE REPRODUCED OR COPIED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.

RELEASED
2013-07-02
JWP

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M304tro. 750W.049
 DATE: JAN 22 2018

PO / BATCH NO. 038712/5034344

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 100"
 QUANTITY INSPECTED: 100"
 QUANTITY REJECTED: 0

THICKNESS ORDERED: W.049
 THICKNESS RECEIVED: W.049
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORROSION	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	<u>Astm A213</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	<u>Heat# YX1508708</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N <input type="radio"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="radio"/> N <input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="radio"/> N <input checked="" type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 JAN 22 2018</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING
 SPECIFICATION: ASTM A213 OR ASME SA213 OR ASTM A269

WALL THICKNESS TOLERANCE PER ASTM A269 AS FOLLOWS:

OD (IN)	PERMISSABLE OD TOL (IN)	PERMISSABLE WALL TOL
1/8 TO 1 1/8, EXCL.	±0.005	±15%
1 1/8 TO 3 1/2, EXCL.	±0.010	±10%
3 1/2 TO 8 3/4, EXCL.	±0.015	±10%
8 3/4 TO 8, EXCL.	±0.030	±10%

PART NUMBER:

M304TR | D.D.D. | W.T.T. |
 OD | WALL

WHERE "D.D.D." = OUTSIDE DIAMETER IN INCHES
 AND "T.T.T." = WALL THICKNESS IN INCHES

EG. 0.375" OD X 0.065" WALL TUBING = M304TR0.375W.065

RELEASED
 08/13/20

B	REFORMAT DWG. ADD SPECS (ZN D8-1), REF PAR 08-020A	CP	08.10.20
A	NEW ISSUE	DS	01.06.08
REV	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR			
DATE	08.10.20		
TITLE		REV/B	
DART AEROSPACE LTD		SHEET 1 OF 1	
HAWKESBURY, ONTARIO, CANADA		SCALE	
DRAWING NO. M304TR		NTS	
304/316 ROUND TUBING			
COPYRIGHT 2001 BY DART AEROSPACE LTD			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL m606rt6to-300w.035
 DATE: JAN 22 2018

PO : BATCH NO. 038792/5034345

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 36"
 QUANTITY INSPECTED: 36"
 QUANTITY REJECTED: 0

THICKNESS ORDERED: W.035
 THICKNESS RECEIVED: W.035
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y N	<u>W.035-7-700/6c</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	<u>Heat # 1002542370001</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 JAN 22 2018</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

PURCHASE MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING

SPECIFICATION:

WWT-700/8

OR QQ-A-200/8 OR QQ-A-225/8
OR AMS 4080 OR AMS 4082 OR AMS 4083
OR ASTM B210 OR ASTM B241

PART NUMBER:


M6061T6TDDDDWTTT

WHERE "D.D.D.D." = OD IN INCHES
"T.T.T.T." = WALL THICKNESS

EG. 3/8" OD X 0.059 WALL = M6061T6T0.375W0.058

MATERIAL TOLERANCE:

PER ANSI H33.2



RELEASED
2013-07-02

REV.	DESCRIPTION	DATE
C	COMPLETE REFORMAT ADDED T6510 & T6511. ADDED AMS 4083, ASTM B210 & ASTM B241	13.06.12
B	ADDED MATERIAL TOLERANCE	04.01.23
A	ADD QQ-A-200/8 & QQ-A-225/8	01.06.21
DESIGN	DESIGN	DATE
DRAWN	ALIS	
CHECKED	ALIS	
MFG. APPR.	M6061T6T	
DE APPR.		
DATE	13.06.12	
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWING NO. M6061T6T		
TITLE 6061-T6 TUBING		
REV. C		
SHEET 1 OF 1		
SCALE NTS		

COPYRIGHT © 2001 BY DART AEROSPACE LTD.
THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: u304tro.500w.035
u304
 DATE: JAN 22 2018

PO / BATCH NO.: 3872/5034343

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 220"
 QUANTITY INSPECTED: 220"
 QUANTITY REJECTED: 0

THICKNESS ORDERED: u.035
 THICKNESS RECEIVED: u.035
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y N	<u>As per A213</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	<u>Heat# yx1608590</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u> <u>11</u>	SIGNED OFF BY: _____		
DATE: <u>9-89 JAN 22 2019</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING

SPECIFICATION: ASTM A213 OR ASME SA213 OR ASTM A269

WALL THICKNESS TOLERANCE PER ASTM A269 AS FOLLOWS:

OD (IN)	PERMISSIBLE OD TOL (IN)	PERMISSIBLE WALL TOL
UP TO 1/4	+0.005	+15%
1/4 TO 1 1/2 EXCL.	+0.005	+10%
1 1/2 TO 3 1/2 EXCL.	+0.010	+10%
3 1/2 TO 5 1/2 EXCL.	+0.015	+10%
5 1/2 TO 8 EXCL.	+0.030	+10%

PART NUMBER:

M304TRD.DDD"W|TTT

OD WALL

WHERE "D.DDD" = OUTSIDE DIAMETER IN INCHES
AND "TTT" = WALL THICKNESS IN INCHES

EG. 0.375" OD X 0.065" WALL TUBING = M304TR0.375W.065

RELEASED
10/18/23

B	REFORMAT DWG. ADD SPECS (ZN 08-1).	CP	08 10 20
A	NEW ISSUE	DS	01 06 08
REV	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	08.10.20		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M304TR			
TITLE 304/316 ROUND TUBING			
SCALE NTS			
SHEET 1 OF 1			
REV. B			
COPYRIGHT © 2001 BY DART AEROSPACE LTD			
ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304tro.500W.049
 DATE: JAN 22 2018

PO / BATCH NO.: 038792/5034342

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 120"
 QUANTITY INSPECTED: 120"
 QUANTITY REJECTED: 0

THICKNESS ORDERED: W.049
 THICKNESS RECEIVED: W.049
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y N	<u>ASTM A213</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	<u>Heat # YX1108593</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 JAN 22 2018</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING

SPECIFICATION: ASTM A213 OR ASME SA213 OR ASTM A269

WALL THICKNESS TOLERANCE PER ASTM A269 AS FOLLOWS:

OD (IN)	PERMISSIBLE	PERMISSIBLE
UP TO 1/2	OD TOL. (IN)	WALL TOL.
1/2 TO 1 1/2, EXCL.	±0.005	±15%
1 1/2 TO 3 1/2, EXCL.	±0.005	±10%
3 1/2 TO 5 1/2, EXCL.	±0.010	±10%
5 1/2 TO 8, EXCL.	±0.015	±10%
	±0.030	±10%

PART NUMBER: M304TRD DDD W TTT

OD WALL

WHERE "D DDD" = OUTSIDE DIAMETER IN INCHES
AND "TTT" = WALL THICKNESS IN INCHES

EG. 0.375" OD X 0.065" WALL TUBING = M304TRD 375W.065

RELEASED
07/06/23 AD

B	REFORMAT DWG. ADD SPECS (2N D8-1).	CP	08.10.20
A	REF PAR 08-020A	DS	01.08.08
REV	NEW ISSUE	BY	DATE
DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		M304TR	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		304/316 ROUND TUBING	NTS
DATE	08.10.20	COPYRIGHT © 2001 BY DART AEROSPACE LTD.	